




KITCHEN SECTION FOR 35KG AIR HINGES




Sr.No.	Section No.	A	B	T	Wt. Kg/mtr
-	9533	84.80	88.80	1.80	0.820



Sr.No.	Section No.	A	B	T	Wt. Kg/mtr
-	9534	34.00	58.80	1.80	0.888




Sr.No.	Section No.	A	B	T	Wt. Kg/mtr
-	9539	33.50	22.20	2.50	0.606




Sr.No.	Section No.	A	B	T	Wt. Kg/mtr
-	9538	41.80	33.50	3.00	0.228

FOR HEAVY HINGE




Sr.No.	Section No.	A	B	T	Wt. Kg/mtr
-	9576	59.20	24.50	3.80	0.880


FOR HEAVY HINGE



Sr.No.	Section No.	A	B	T	Wt. Kg/mtr
-	9570	43.50	54.00	2.20	0.810














Sr.No.	Section No.	A	B	T	Wt. Kg/mtr
-	9524	86.00	118.80	3.00	1.212











Sr.No.	Section No.	A	B	T	Wt. Kg/mtr
-	9532	50.00	24.10	2.80	1.801













G & J PROFILE AND VMC PROFILE

																																						
<table><tr><th>Grades</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt kg/m</th></tr><tr><td>-</td><td>14006</td><td>58.08</td><td>58.08</td><td>4.00</td><td>0.350</td></tr></table>	Grades	Section No.	A	B	T	Wt kg/m	-	14006	58.08	58.08	4.00	0.350	<table><tr><th>Grades</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt kg/m</th></tr><tr><td>-</td><td>12145</td><td>58.03</td><td>58.55</td><td>4.60</td><td>0.436</td></tr></table>	Grades	Section No.	A	B	T	Wt kg/m	-	12145	58.03	58.55	4.60	0.436													
Grades	Section No.	A	B	T	Wt kg/m																																	
-	14006	58.08	58.08	4.00	0.350																																	
Grades	Section No.	A	B	T	Wt kg/m																																	
-	12145	58.03	58.55	4.60	0.436																																	
																																						
<table><tr><th>Grades</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt kg/m</th></tr><tr><td>-</td><td>14074</td><td>58.90</td><td>19.50</td><td>1.80</td><td>0.567</td></tr></table>	Grades	Section No.	A	B	T	Wt kg/m	-	14074	58.90	19.50	1.80	0.567	<table><tr><th>Grades</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt kg/m</th></tr><tr><td>-</td><td>14945</td><td>45.70</td><td>20.00</td><td>1.80</td><td>0.513</td></tr></table>	Grades	Section No.	A	B	T	Wt kg/m	-	14945	45.70	20.00	1.80	0.513	<table><tr><th>Grades</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt kg/m</th></tr><tr><td>-</td><td>13775</td><td>81.68</td><td>56.00</td><td>1.80</td><td>0.427</td></tr></table>	Grades	Section No.	A	B	T	Wt kg/m	-	13775	81.68	56.00	1.80	0.427
Grades	Section No.	A	B	T	Wt kg/m																																	
-	14074	58.90	19.50	1.80	0.567																																	
Grades	Section No.	A	B	T	Wt kg/m																																	
-	14945	45.70	20.00	1.80	0.513																																	
Grades	Section No.	A	B	T	Wt kg/m																																	
-	13775	81.68	56.00	1.80	0.427																																	
																																						
<table><tr><th>Grades</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt kg/m</th></tr><tr><td>-</td><td>14020</td><td>34.50</td><td>13.00</td><td>2.00</td><td>0.261</td></tr></table>	Grades	Section No.	A	B	T	Wt kg/m	-	14020	34.50	13.00	2.00	0.261	<table><tr><th>Grades</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt kg/m</th></tr><tr><td>-</td><td>11557</td><td>43.00</td><td>12.40</td><td>3.40</td><td>0.888</td></tr></table>	Grades	Section No.	A	B	T	Wt kg/m	-	11557	43.00	12.40	3.40	0.888	<table><tr><th>Grades</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt kg/m</th></tr><tr><td>-</td><td>14073</td><td>40.00</td><td>13.00</td><td>3.00</td><td>0.417</td></tr></table>	Grades	Section No.	A	B	T	Wt kg/m	-	14073	40.00	13.00	3.00	0.417
Grades	Section No.	A	B	T	Wt kg/m																																	
-	14020	34.50	13.00	2.00	0.261																																	
Grades	Section No.	A	B	T	Wt kg/m																																	
-	11557	43.00	12.40	3.40	0.888																																	
Grades	Section No.	A	B	T	Wt kg/m																																	
-	14073	40.00	13.00	3.00	0.417																																	
																																						
<table><tr><th>Grades</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt kg/m</th></tr><tr><td>-</td><td>14053</td><td>42.00</td><td>10.00</td><td>1.80</td><td>0.308</td></tr></table>	Grades	Section No.	A	B	T	Wt kg/m	-	14053	42.00	10.00	1.80	0.308	<table><tr><th>Grades</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt kg/m</th></tr><tr><td>-</td><td>14766</td><td>42.00</td><td>11.80</td><td>2.60</td><td>0.659</td></tr></table>	Grades	Section No.	A	B	T	Wt kg/m	-	14766	42.00	11.80	2.60	0.659	<table><tr><th>Grades</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt kg/m</th></tr><tr><td>-</td><td>11537</td><td>58.60</td><td>14.00</td><td>1.80</td><td>0.383</td></tr></table>	Grades	Section No.	A	B	T	Wt kg/m	-	11537	58.60	14.00	1.80	0.383
Grades	Section No.	A	B	T	Wt kg/m																																	
-	14053	42.00	10.00	1.80	0.308																																	
Grades	Section No.	A	B	T	Wt kg/m																																	
-	14766	42.00	11.80	2.60	0.659																																	
Grades	Section No.	A	B	T	Wt kg/m																																	
-	11537	58.60	14.00	1.80	0.383																																	








G & J PROFILE AND VMC PROFILE













G & J PROFILE AND VMC PROFILE

For 16mm						For 18mm											
																	
Er No	Section No.	A	D	T	Wt. Kg/mtr.	Er No	Section No.	A	D	T	Wt. Kg/mtr.	Er No	Section No.	A	B	T	Wt. Kg/mtr.
-	95050	88.00	16.00	1.515	0.306	-	95047	88.00	18.00	1.613	0.378	-	95049	62.93	57.23	1.83	0.338
																	
Er No	Section No.	A	B	T	Wt. Kg/mtr.	Er No	Section No.	A	B	T	Wt. Kg/mtr.	Er No	Section No.	A	B	T	Wt. Kg/mtr.
-	95054	20.00	16.10	3.80	0.244	-	95065	40.00	18.18	5.80	0.553	-	95025	55.50	86.00	1.00	0.280
																	
Er No	Section No.	A	B	T	Wt. Kg/mtr.	Er No	Section No.	A	B	T	Wt. Kg/mtr.	Er No	Section No.	A	B	T	Wt. Kg/mtr.
-	95070	20.40	20.00	1.35	0.312	-	95071	60.38	54.85	8.00	0.818	-	95062	52.55	82.89	3.83	0.808
																	
Er No	Section No.	A	B	T	Wt. Kg/mtr.	Er No	Section No.	A	B	T	Wt. Kg/mtr.	Er No	Section No.	A	B	T	Wt. Kg/mtr.
-	95091	17.60	16.00	1.20	0.192	-	95077	44.00	16.00	1.23	0.283	-	9502	27.00	18.50		0.283












MIRROR




G & J PROFILE AND VMC PROFILE

																																						
<table><tr><th>Sr No.</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt. kg/mtr.</th></tr><tr><td>-</td><td>14634</td><td>38.00</td><td>13.00</td><td>3.00</td><td>0.414</td></tr></table>	Sr No.	Section No.	A	B	T	Wt. kg/mtr.	-	14634	38.00	13.00	3.00	0.414	<table><tr><th>Sr No.</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt. kg/mtr.</th></tr><tr><td>-</td><td>14951</td><td>42.00</td><td>20.00</td><td>2.20</td><td>0.439</td></tr></table>	Sr No.	Section No.	A	B	T	Wt. kg/mtr.	-	14951	42.00	20.00	2.20	0.439	<table><tr><th>Sr No.</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt. kg/mtr.</th></tr><tr><td>-</td><td>14912</td><td>42.00</td><td>20.00</td><td>2.20</td><td>0.450</td></tr></table>	Sr No.	Section No.	A	B	T	Wt. kg/mtr.	-	14912	42.00	20.00	2.20	0.450
Sr No.	Section No.	A	B	T	Wt. kg/mtr.																																	
-	14634	38.00	13.00	3.00	0.414																																	
Sr No.	Section No.	A	B	T	Wt. kg/mtr.																																	
-	14951	42.00	20.00	2.20	0.439																																	
Sr No.	Section No.	A	B	T	Wt. kg/mtr.																																	
-	14912	42.00	20.00	2.20	0.450																																	
																																						
<table><tr><th>Sr No.</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt. kg/mtr.</th></tr><tr><td>-</td><td>14972</td><td>40.00</td><td>20.00</td><td>1.40</td><td>0.266</td></tr></table>	Sr No.	Section No.	A	B	T	Wt. kg/mtr.	-	14972	40.00	20.00	1.40	0.266	<table><tr><th>Sr No.</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt. kg/mtr.</th></tr><tr><td>-</td><td>14977</td><td>43.00</td><td>10.50</td><td>1.50</td><td>0.354</td></tr></table>	Sr No.	Section No.	A	B	T	Wt. kg/mtr.	-	14977	43.00	10.50	1.50	0.354	<table><tr><th>Sr No.</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt. kg/mtr.</th></tr><tr><td>-</td><td>90009</td><td>43.00</td><td>13.00</td><td>2.50</td><td>0.444</td></tr></table>	Sr No.	Section No.	A	B	T	Wt. kg/mtr.	-	90009	43.00	13.00	2.50	0.444
Sr No.	Section No.	A	B	T	Wt. kg/mtr.																																	
-	14972	40.00	20.00	1.40	0.266																																	
Sr No.	Section No.	A	B	T	Wt. kg/mtr.																																	
-	14977	43.00	10.50	1.50	0.354																																	
Sr No.	Section No.	A	B	T	Wt. kg/mtr.																																	
-	90009	43.00	13.00	2.50	0.444																																	
																																						
<table><tr><th>Sr No.</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt. kg/mtr.</th></tr><tr><td>-</td><td>91054</td><td>58.00</td><td>11.90</td><td>8.90</td><td>0.527</td></tr></table>	Sr No.	Section No.	A	B	T	Wt. kg/mtr.	-	91054	58.00	11.90	8.90	0.527	<table><tr><th>Sr No.</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt. kg/mtr.</th></tr><tr><td>-</td><td>91072</td><td>65.80</td><td>54.00</td><td>5.90</td><td>0.460</td></tr></table>	Sr No.	Section No.	A	B	T	Wt. kg/mtr.	-	91072	65.80	54.00	5.90	0.460	<table><tr><th>Sr No.</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt. kg/mtr.</th></tr><tr><td>-</td><td>91056</td><td>98.80</td><td>51.80</td><td>1.80</td><td>0.468</td></tr></table>	Sr No.	Section No.	A	B	T	Wt. kg/mtr.	-	91056	98.80	51.80	1.80	0.468
Sr No.	Section No.	A	B	T	Wt. kg/mtr.																																	
-	91054	58.00	11.90	8.90	0.527																																	
Sr No.	Section No.	A	B	T	Wt. kg/mtr.																																	
-	91072	65.80	54.00	5.90	0.460																																	
Sr No.	Section No.	A	B	T	Wt. kg/mtr.																																	
-	91056	98.80	51.80	1.80	0.468																																	
																																						
<table><tr><th>Sr No.</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt. kg/mtr.</th></tr><tr><td>-</td><td>91196</td><td>45.80</td><td>12.00</td><td>5.80</td><td>0.632</td></tr></table>	Sr No.	Section No.	A	B	T	Wt. kg/mtr.	-	91196	45.80	12.00	5.80	0.632	<table><tr><th>Sr No.</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt. kg/mtr.</th></tr><tr><td>-</td><td>14758</td><td>95.80</td><td>12.80</td><td>5.80</td><td>0.709</td></tr></table>	Sr No.	Section No.	A	B	T	Wt. kg/mtr.	-	14758	95.80	12.80	5.80	0.709													
Sr No.	Section No.	A	B	T	Wt. kg/mtr.																																	
-	91196	45.80	12.00	5.80	0.632																																	
Sr No.	Section No.	A	B	T	Wt. kg/mtr.																																	
-	14758	95.80	12.80	5.80	0.709																																	


SLIDING TRACK




CURVE PROFILE




Sr.No	Section No.	A	B	T	Wt. Kg/Mtr.
-	91037	67.00	23.50	1.30	0.744



Sr.No	Section No.	A	B	T	Wt. Kg/Mtr.
-	91040	23.50	20.10	1.40	0.408




Sr.No	Section No.	A	B	T	Wt. Kg/Mtr.
-	91041	35.00	0.62	1.50	0.618




Sr.No	Section No.	A	B	T	Wt. Kg/Mtr.
-	95015	53.88	86.03	1.20	0.810


CERAMIC BOARD WARDROBE




Sr.No	Section No.	A	B	T	Wt. Kg/Mtr.
-	95070	19.80	15.90	1.60	0.308



Sr.No	Section No.	A	B	T	Wt. Kg/Mtr.
-	95071	39.50	17.19	1.50	0.405



Sr.No	Section No.	A	B	T	Wt. Kg/Mtr.
-	95072	17.30	12.90	1.15	0.278




Sr.No	Section No.	A	B	T	Wt. Kg/Mtr.
-	95073	54.90	17.30	1.80	0.608




Sr.No	Section No.	A	B	T	Wt. Kg/Mtr.
-	95074	44.90	15.90	3.00	0.512


SHELF PROFILE




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
-	95090	60.00	13.20	3.50	0.521




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
-	95091	60.00	6.80	3.50	0.532




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
-	95058	35.40	12.00	1.50	0.470



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
-	95059	35.40	12.00	1.30	0.451




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
-	95084	31.00	9.80	1.40	0.268




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
-	95085	38.00	9.80	1.40	0.319


GOLA PROFILE




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
-	91002	56.80	26.00	1.20	0.335



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
-	91003	73.00	26.00	1.20	0.424

























Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
-	91148	67.00	42.10	1.10	0.691












Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
-	95049	48.50	42.10	1.10	0.608

SLIDING TRACK




																																						
<table><tr><th>Sr.No</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt. Kg/mtr</th></tr><tr><td>-</td><td>14006</td><td>73.00</td><td>14.00</td><td>1.00</td><td>0.426</td></tr></table>	Sr.No	Section No.	A	B	T	Wt. Kg/mtr	-	14006	73.00	14.00	1.00	0.426	<table><tr><th>Sr.No</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt. Kg/mtr</th></tr><tr><td>-</td><td>14007</td><td>69.00</td><td>6.00</td><td>1.00</td><td>0.299</td></tr></table>	Sr.No	Section No.	A	B	T	Wt. Kg/mtr	-	14007	69.00	6.00	1.00	0.299	<table><tr><th>Sr.No</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt. Kg/mtr</th></tr><tr><td>-</td><td>14008</td><td>28.00</td><td>5.40</td><td>1.00</td><td>0.096</td></tr></table>	Sr.No	Section No.	A	B	T	Wt. Kg/mtr	-	14008	28.00	5.40	1.00	0.096
Sr.No	Section No.	A	B	T	Wt. Kg/mtr																																	
-	14006	73.00	14.00	1.00	0.426																																	
Sr.No	Section No.	A	B	T	Wt. Kg/mtr																																	
-	14007	69.00	6.00	1.00	0.299																																	
Sr.No	Section No.	A	B	T	Wt. Kg/mtr																																	
-	14008	28.00	5.40	1.00	0.096																																	
																																						
<table><tr><th>Sr.No</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt. Kg/mtr</th></tr><tr><td>-</td><td>95120</td><td>51.93</td><td>58.90</td><td>1.80</td><td>9.1700</td></tr></table>	Sr.No	Section No.	A	B	T	Wt. Kg/mtr	-	95120	51.93	58.90	1.80	9.1700	<table><tr><th>Sr.No</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt. Kg/mtr</th></tr><tr><td>-</td><td>51407</td><td>52.03</td><td>9.20</td><td>1.80</td><td>0.350</td></tr></table>	Sr.No	Section No.	A	B	T	Wt. Kg/mtr	-	51407	52.03	9.20	1.80	0.350	<table><tr><th>Sr.No</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt. Kg/mtr</th></tr><tr><td>-</td><td>12007</td><td>55.60</td><td>52.10</td><td>3.85</td><td>8.808</td></tr></table>	Sr.No	Section No.	A	B	T	Wt. Kg/mtr	-	12007	55.60	52.10	3.85	8.808
Sr.No	Section No.	A	B	T	Wt. Kg/mtr																																	
-	95120	51.93	58.90	1.80	9.1700																																	
Sr.No	Section No.	A	B	T	Wt. Kg/mtr																																	
-	51407	52.03	9.20	1.80	0.350																																	
Sr.No	Section No.	A	B	T	Wt. Kg/mtr																																	
-	12007	55.60	52.10	3.85	8.808																																	
																																						
<table><tr><th>Sr.No</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt. Kg/mtr</th></tr><tr><td>-</td><td>14004</td><td>55.33</td><td>59.10</td><td>5.25</td><td>1.078</td></tr></table>	Sr.No	Section No.	A	B	T	Wt. Kg/mtr	-	14004	55.33	59.10	5.25	1.078	<table><tr><th>Sr.No</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt. Kg/mtr</th></tr><tr><td>-</td><td>14005</td><td>98.18</td><td>1.10</td><td>1.80</td><td>0.946</td></tr></table>	Sr.No	Section No.	A	B	T	Wt. Kg/mtr	-	14005	98.18	1.10	1.80	0.946	<table><tr><th>Sr.No</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt. Kg/mtr</th></tr><tr><td>-</td><td>95052</td><td>81.89</td><td>41.83</td><td>8.80</td><td>1.863</td></tr></table>	Sr.No	Section No.	A	B	T	Wt. Kg/mtr	-	95052	81.89	41.83	8.80	1.863
Sr.No	Section No.	A	B	T	Wt. Kg/mtr																																	
-	14004	55.33	59.10	5.25	1.078																																	
Sr.No	Section No.	A	B	T	Wt. Kg/mtr																																	
-	14005	98.18	1.10	1.80	0.946																																	
Sr.No	Section No.	A	B	T	Wt. Kg/mtr																																	
-	95052	81.89	41.83	8.80	1.863																																	
																																						
<table><tr><th>Sr.No</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt. Kg/mtr</th></tr><tr><td>-</td><td>14057</td><td>55.80</td><td>51.80</td><td>5.90</td><td>1.504</td></tr></table>	Sr.No	Section No.	A	B	T	Wt. Kg/mtr	-	14057	55.80	51.80	5.90	1.504	<table><tr><th>Sr.No</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt. Kg/mtr</th></tr><tr><td>-</td><td>14056</td><td>54.60</td><td>40.60</td><td>2.50</td><td>1.702</td></tr></table>	Sr.No	Section No.	A	B	T	Wt. Kg/mtr	-	14056	54.60	40.60	2.50	1.702	<table><tr><th>Sr.No</th><th>Section No.</th><th>A</th><th>B</th><th>T</th><th>Wt. Kg/mtr</th></tr><tr><td>-</td><td>14058</td><td>50.30</td><td>08.80</td><td>2.80</td><td>1.69</td></tr></table>	Sr.No	Section No.	A	B	T	Wt. Kg/mtr	-	14058	50.30	08.80	2.80	1.69
Sr.No	Section No.	A	B	T	Wt. Kg/mtr																																	
-	14057	55.80	51.80	5.90	1.504																																	
Sr.No	Section No.	A	B	T	Wt. Kg/mtr																																	
-	14056	54.60	40.60	2.50	1.702																																	
Sr.No	Section No.	A	B	T	Wt. Kg/mtr																																	
-	14058	50.30	08.80	2.80	1.69																																	







SLIDING WARDROBE




SLIDING WARDROBE


																	
Sr.No.	Section No.	A	B	T	Ölçü Eşleştirmesi	Sr.No.	Section No.	A	B	T	Ölçü Eşleştirmesi	Sr.No.	Section No.	A	B	T	Ölçü Eşleştirmesi
-	95100	50.00	42.00	1.00	0.000	-	95101	65.00	21.00	1.00	0.000	-	95102	67.00	45.00	1.00	0.000

																	
Sr.No.	Section No.	A	B	T	Ölçü Eşleştirmesi	Sr.No.	Section No.	A	B	T	Ölçü Eşleştirmesi	Sr.No.	Section No.	A	B	T	Ölçü Eşleştirmesi
-	95103	50.00	50.00	1.00	0.000	-	95104	52.00	58.00	1.00	0.000	-	95105	54.00	48.00	1.00	0.000


																	
Sr.No.	Section No.	A	B	T	Ölçü Eşleştirmesi	Sr.No.	Section No.	A	B	T	Ölçü Eşleştirmesi	Sr.No.	Section No.	A	B	T	Ölçü Eşleştirmesi
-	95106	45.00	32.00	1.00	0.000	-	95107	50.00	58.00	1.00	0.000	-	95108	31.00	11.00	1.00	0.000

																	
Sr.No.	Section No.	A	B	T	Ölçü Eşleştirmesi												
-	95109	58.00	53.00	1.00	0.000												


MISCELLANEOUS




Dr. Res	Section No.	A	B	T	Wt. Eşdeğer
-	95114	58.00	23.00	1.10	0.627




Dr. Res	Section No.	A	B	T	Wt. Eşdeğer
-	95144	28.83	9.08	2.33	0.183




Dr. Res	Section No.	A	B	T	Wt. Eşdeğer
-	84170	58.83	21.70	1.13	0.670




Dr. Res	Section No.	A	B	T	Wt. Eşdeğer
-	95125	83.83	42.98	1.80	8.2819



Dr. Res	Section No.	A	B	T	Wt. Eşdeğer
-	910015	58.83	21.70	1.13	0.670




Dr. Res	Section No.	A	B	T	Wt. Eşdeğer
-	91007	80.83	42.98	1.80	8.2819




Dr. Res	Section No.	A	B	T	Wt. Eşdeğer
-	95129	88.83	42.98	1.40	6.811




Dr. Res	Section No.	A	B	T	Wt. Eşdeğer
-	95130	90.83	52.83	2.11	8.2819




Dr. Res	Section No.	A	B	T	Wt. Eşdeğer
-	95070	88.83	42.98	1.40	6.811



Dr. Res	Section No.	A	B	T	Wt. Eşdeğer
-	95060	50.00	8.83	1.20	0.297




Dr. Res	Section No.	A	B	T	Wt. Eşdeğer
-	95067	71.83	9.83	1.23	0.428











Dr. Res	Section No.	A	B	T	Wt. Eşdeğer
-	85070	88.83	42.98	1.40	6.811

MISCELLANEOUS










Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
-	95110	6.80	5.80	1.00	0.046


KITCHEN SECTION (20MM & 22MM)




KITCHEN SECTION (FRAME 45MM - HANDLE 67MM)




KITCHEN SECTION FOR 25KG AIR HINGES



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
-	91088	26.80	26.10	3.00	0.649




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
-	91087	50.00	26.10	3.00	0.828




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
-	91086	50.90	26.10	3.00	0.910


KITCHEN SECTION (20MM & 22MM)




Gr.No	Section No.	A	B	T	Wt Kg/mtrs
-	90291	55.00	21.00	5.00	0.436




Gr.No	Section No.	A	B	T	Wt Kg/mtrs
-	90292	39.00	21.00	2.00	0.611




Gr.No	Section No.	A	B	T	Wt Kg/mtrs
-	90171	45.00	51.00	5.00	8.116




Gr.No	Section No.	A	B	T	Wt Kg/mtrs
-	9027	21.60	21.30	1.00	0.282




Gr.No	Section No.	A	B	T	Wt Kg/mtrs
-	90128	39.00	21.30	1.80	5.800




Gr.No	Section No.	A	B	T	Wt Kg/mtrs
-	90184	22.00	21.00	1.80	0.331




Gr.No	Section No.	A	B	T	Wt Kg/mtrs
-	88553	35.00	31.00	1.40	0.430




Gr.No	Section No.	A	B	T	Wt Kg/mtrs
-	90179	45.00	21.00	1.80	6.518



Gr.No	Section No.	A	B	T	Wt Kg/mtrs
-	90180	37.30	21.00	1.40	0.470



Gr.No	Section No.	A	B	T	Wt Kg/mtrs
-	90181	42.00	21.00	1.30	0.714



Gr.No	Section No.	A	B	T	Wt Kg/mtrs
-	90186	52.00	21.00	1.40	0.933